



## Algebra II

Monday  
October 13, 2014

**99.9% have failed to solve this**

$$\text{If } 3 = 18$$

$$4 = 32$$

$$5 = 50$$

$$6 = 72$$

$$7 = 98$$

Then,

$$10 = ?$$





Algebra II  
Warm Up

Monday  
October 13, 2014

What is a System of  
Linear Equations?



EOC REVIEW Algebra 1

p. 148

Reporting Category 4

<p><u>Linear Equations and Inequalities:</u> The student will formulate and use linear equations and inequalities..</p>	<p><b>Name:</b> _____  <b>Date:</b> _____  <b>Period:</b> _____  <b>Topic:</b> A.7B- <u>investigate methods for solving linear equations and inequalities using [concrete models], graphs, and the properties of equality, select a method, and solve the equations and inequalities;</u></p>
<p>Academic Language</p>	<p>Notes:</p>
<p>Standard form (Ax + By = C)</p>	
<p>Coordinate (ordered) pair (x, y)</p>	
<p>(x, y) as a solution set</p>	
<p>Substitution</p>	
<p>x as a solution</p>	

y as a solution	
Equality properties	
A.7B	Investigate methods for solving linear equations and inequalities using [concrete models], graphs, and the properties of equality, select a method, and solve the equations and inequalities;

**Part I**

Substitute the given values of the coordinate pair  $(x, y)$ , or choose values for  $x$  and  $y$  to solve the *equation* or *inequality* from the following problem situations;

- 1 What is the value of  $y$  if  $(2, y)$  is a solution to the equation  $-7x = -11y + 8$ ?

What value of  $x$  is given in the problem?

Substitute this value for  $x$  and solve the equation for  $y$ .

- 2 For what value of  $x$  is  $(x, -5)$  a solution for  $4x - 3y = 27$ ?

What value of  $y$  is given in the problem?


Substitute this value for  $y$  and solve the equation for  $x$ .

## EOC REVIEW Algebra 1

p. 150

## Reporting Category 4

- 3 The graph of the linear equation  $y = -\frac{5}{2}x + 7$  is shown below.



List two coordinate pairs that are in the solution set of  $y < -\frac{5}{2}x + 7$ ?

A ( , )


B ( , )

List two coordinate pairs that are NOT in the solution set of  $y < -\frac{5}{2}x + 7$ ?

C ( , )

D ( , )

- 4 The length of each leg of an isosceles trapezoid is 6 meters less than twice the length of the height. If the perimeter of this isosceles trapezoid is 40 meters, what is the length of the height? (use the measures given in the trapezoid below)



What is the length of each leg?


EOC REVIEW Algebra 1

Reporting Category 4

Part II

1 The graphs of the linear equation  $y = -2x$  and  $y = -0.5x + 6$  are shown below. If  $-2x = -0.5x + 6$ , what is the value of  $x$ ?

- F -1
- G -2
- H -4
- J -8



2 Which of the following ordered pairs is in the solution set of  $y > x + 3$ ?

- A (-2, 1)
- B (-7, -2)
- C (5, 7)
- D (4, 5)

3 For what value of  $x$  is  $(x, 7)$  a solution for  $-4x + 2y = 26$ ?

- F 10
- G -3
- H 3
- J -10

4 Hockinson Auto Works charged Mr. Soohoo \$84.00 for an automotive part plus \$68.00 per hour that a mechanic worked to install the part. The total charge was \$353.00. For about how long did the mechanic work to install the part on Mr. Soohoo's car?

- A. 6 hours
- B. 5 hours
- C. 4 hours
- D. 3 hours

5 If  $(x, -2.5)$  is a solution to the equation  $6x - 3y - 9 = 0$ , what is the value of  $x$ ?

- A. 2.25
- B. 1.75
- C. 0.25
- D. -8

6 The equation  $F = \frac{9}{5}C + 32$  represents the relationship between  $F$ , the temperature in degrees Fahrenheit, and  $C$ , the temperature in degrees Celsius. If the temperature is  $104^\circ\text{F}$ , what is the temperature in degrees Celsius?

+	0	0	0	0	0	0	0
-	0	0	0	0	0	0	0
	1	1	1	1	1	1	1
	2	2	2	2	2	2	2
	3	3	3	3	3	3	3
	4	4	4	4	4	4	4
	5	5	5	5	5	5	5
	6	6	6	6	6	6	6
	7	7	7	7	7	7	7
	8	8	8	8	8	8	8
	9	9	9	9	9	9	9

EOC REVIEW Algebra 1

p. 162

Reporting Category 4

<p><i>Linear Equations and Inequalities:</i> The student will formulate and use linear equations and inequalities.</p>	<p><b>Name:</b> _____</p> <p><b>Date:</b> _____</p> <p><b>Period:</b> _____</p> <p><b>Topic:</b> A.8B- solve systems of linear equations using [concrete] models, graphs, tables, and algebraic methods;</p>
<p>Academic Language</p>	<p>Notes:</p>
<p>Systems of Equations</p>	
<p>Intersection</p>	
<p>And</p>	
<p>Substitution Method</p>	
<p>Elimination Method</p>	

## EOC REVIEW Algebra 1

## p. 163

## Reporting Category 4

A.8B	solve systems of linear equations using [concrete] models, graphs, tables, and algebraic methods;
------	---------------------------------------------------------------------------------------------------

**Part I**

The algebraic methods that we will use to solve systems are substitution and elimination. Graphing is also a method we can utilize to solve a system of equations. The solution of a system of equations is the intersection point on the graph, or the only ordered pair that belongs to the solution set of each individual equation.

First we will discuss the **substitution method**.

Solve the system using substitution.

$$y + 3x = 12$$

$$y = 4x + 5$$

Notice that the  $y$  variable is isolated in the second equation. Since  $y$  is by itself on the left side of the equation we can use  $4x + 5$  to replace  $y$  in the first equation. By replacing  $y$  with an expression of  $x$  we are able to solve for  $x$

$$(4x + 5) + 3x = 12$$

$$7x + 5 = 12$$

$$7x = 7$$

$$x = 1$$

Finish by replacing  $x$  with 1 in either original equation.

$$y + 3(1) = 12$$

$$y + 3 = 12$$

$$y = 9$$

$$y = 4(1) + 5$$

$$y = 4 + 5$$

$$y = 9$$

So, by the substitution method, the solution is  $(1, 9)$ .



## EOC REVIEW Algebra 1

## p. 164

## Reporting Category 4

Now we will discuss the **elimination method**. This method requires that like terms are lined up vertically in the set up allowing the use of addition or subtraction.

Solve the system using elimination.

$$\begin{array}{r} 6x + 3y = -9 \\ + 2x - 3y = 17 \\ \hline 8x \quad = 8 \\ x = 1 \end{array}$$

Notice the  $x$  and  $y$  terms are lined up vertically

Since  $3y$  and  $-3y$  are additive inverses they are eliminated when we add vertically.


Finish by substituting the value of  $x$  into either original equation and solve it for  $y$ .

$$\begin{array}{r} 6(1) + 3y = 9 \\ 6 + 3y = -9 \\ 3y = -15 \\ y = -5 \end{array}$$

$$\begin{array}{r} 2(1) - 3y = 17 \\ 2 - 3y = 17 \\ -3y = -15 \\ y = -5 \end{array}$$

So by the elimination method the solution is  $(1, -5)$ .

You can also solve a system of linear equations by **graphing** or using a **table of values**. When you graph a system of linear equations the point at which the lines intersect is the solution to the system. If the lines do not intersect, then the system has no solution. The lines can also intersect at all points, thus the system will have infinitely many solutions. On a table of values the coordinate pair that is the same in both tables is the solution to the system.



X	Y	X	Y
-2	-9	-2	24
-1	-5	-1	19
0	-2	0	14
1	1	1	9
2	4	2	4
3	7	3	-1

Solution:

$(2, 4)$

## EOC REVIEW Algebra 1





p. 165

## Reporting Category 4

## Part II

1. Which graph best represents a solution to this system of equations?

$$\begin{aligned}2x - 3y &= 0 \\ x + 2y &= -7\end{aligned}$$



EOC REVIEW Algebra 1

p. 166

Reporting Category 4

2. What is the  $x$ -coordinate of the solution to the system of linear equations below?

$$4x + 5y = 8$$

$$2x - 3y = -18$$

- F -4
- G -3
- H 3
- J 4

3. A large cheese pizza at Palanzio's Pizzeria costs \$6.80 plus \$0.90 for each topping. The cost of a large cheese pizza at Guido's Pizza is \$7.30 plus \$0.65 for each topping. How many toppings need to be added to a large cheese pizza from Palanzio's Pizzeria and Guido's Pizza in order for the pizzas to cost the same, not including tax?

<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

4. Which of the following is the solution for this system of linear equations?

$$y = -\frac{2}{3}x + 2$$

$$3x - y = -13$$

- F  $(\frac{17}{3}, 4)$
- G  $(-1, \frac{8}{3})$
- H  $(-3, 4)$
- J  $(-3, -4)$


5. Some students want to order shirts with their school logo. One company charges \$9.65 per shirt plus a setup fee of \$43. Another company charges \$8.40 per shirt plus a \$58 fee. For what number of shirts would the cost be the same?

- A 6
- B 12
- C 81
- D 159

Name \_\_\_\_\_ Period \_\_\_\_\_ Date \_\_\_\_\_

Quiz #3

Pentagon PQRST is graphed on the coordinate grid below. What is the slope and the linear function describing a line that would include the following edges of the pentagon:



- A Segment RS  
\_\_\_\_\_
- B Segment PT  
\_\_\_\_\_
- C Segment PQ  
\_\_\_\_\_
- D Segment TS  
\_\_\_\_\_
- E Segment QR  
\_\_\_\_\_

End of Course Algebra 1

p. 175

Reporting Category 5

<p><i>Quadratic and Other Nonlinear Functions:</i> The student will demonstrate an understanding of quadratic and other nonlinear functions.</p>	<p><b>Name:</b> _____  <b>Date:</b> _____  <b>Period:</b> _____  <b>Topic:</b> A.9B- investigate, describe, and predict the effects of changes in <math>a</math> on the graph of <math>y = ax^2 + c</math>;</p>
<p>Academic Language</p>	<p>Notes:</p>
<p>Quadratic parent function, <math>y = x^2</math></p>	
<p>Parabola, <math>y = ax^2 + c</math></p>	
<p>Translate</p>	
<p>Coefficient</p>	
<p>Vertex</p>	
<p>Reflection</p>	

End of Course Algebra 1

p. 176

Reporting Category 5

A.9B	Investigate, describe, and predict the effects of changes in $a$ on the graph of $y = ax^2 + c$ .

**Part I**

Follow the instructions in each problem below: (use colored pencils if available)

- 1 The graph of  $y = 0.2x^2$  is shown.

Label each of the following equations below as “wider” or “narrower” than the graph of  $y = 0.2x^2$  and then graph each to the right to check your work.


A  $y = 0.5x^2$  \_\_\_\_\_

B  $y = 3x^2$  \_\_\_\_\_


C  $y = 0.1x^2$  \_\_\_\_\_

D  $y = 2x^2$  \_\_\_\_\_

E  $y = 0.3x^2$  \_\_\_\_\_



- 2 The graph of the function  $y = ax^2 + c$  is given below where  $a = 1$  and  $c = 0$ .



How will the graph be affected if the coefficient of  $x^2$  is decreased to 0.2?

\_\_\_\_\_.

How will the graph be affected if the coefficient of  $x^2$  is increased to  $5/2$ ?

\_\_\_\_\_.

How will the graph be affected if the coefficient of  $x^2$  is increased to 4?

\_\_\_\_\_.

How will the graph be affected if the coefficient of  $x^2$  is decreased to  $1/3$ ?


\_\_\_\_\_.

End of Course Algebra 1

p. 178

Reporting Category 5

- 3 The graph of the parent function  $y = x^2$  is given below.



How will the graph be affected if the coefficient of  $x^2$  is decreased to  $1/5$ ?

\_\_\_\_\_.

How will the graph be affected if the coefficient of  $x^2$  is decreased to  $-1/5$ ?

\_\_\_\_\_.

What will be the change to the parent function if the coefficient of  $x^2$  is changed to 3?

\_\_\_\_\_.

What will be the change to the parent function if the coefficient of  $x^2$  is changed to -3?

\_\_\_\_\_.



## End of Course Algebra 1


p. 179

## Reporting Category 5

**Part II**

- 1 What is the effect on the graph of the equation  $y = -4x^2$  when the equation is changed to  $y = 4x^2$ ?
- A The graph of  $y = 4x^2$  is translated 8 units down.
- B The graph of  $y = 4x^2$  is a reflection of  $y = -4x^2$  across the  $x$ -axis.
- C The graph of  $y = 4x^2$  is
- D The graph of  $y = 4x^2$  is a reflection of  $y = -4x^2$  across the  $y$ -axis.
- 2 The graph of a function  $y = x^2$  is shown below. How will the graph be affected if the coefficient of  $x^2$  is decreased to  $\frac{1}{4}$ ?

- F The parabola will be wider.
- G The parabola will be narrower.
- H The parabola will be translated up.
- J The parabola will be translated down.



- 3 Which of the following functions of the form  $y = ax^2$  produces the widest graph and opens upward?
- A  $y = -\frac{1}{4}x^2$
- B  $y = \frac{6}{5}x^2$
- C  $y = -\frac{4}{3}x^2$
- D  $y = \frac{7}{3}x^2$

## End of Course Algebra 1

p. 180

## Reporting Category 5

- 
- 4 Which statement describes what happens to the graph of  $y = ax^2$  when the value of  $a$  is changed from 1 to 6?
- F The graph translates 6 units up.
  - G The graph translates 6 units to the right.
  - H The graph narrows.
  - J The graph widens.
- 5 Which lists the functions of the form  $y = ax^2$  in order from the widest to the narrowest graph?
- A  $y = \frac{7}{3}x^2$ ,  $y = \frac{2}{3}x^2$ ,  $y = \frac{1}{2}x^2$ ,  $y = 2x^2$
  - B  $y = \frac{1}{2}x^2$ ,  $y = \frac{2}{3}x^2$ ,  $y = 2x^2$ ,  $y = \frac{7}{3}x^2$
  - C  $y = \frac{7}{3}x^2$ ,  $y = 2x^2$ ,  $y = \frac{1}{2}x^2$ ,  $y = \frac{2}{3}x^2$
  - D  $y = 2x^2$ ,  $y = \frac{7}{3}x^2$ ,  $y = \frac{1}{2}x^2$ ,  $y = \frac{2}{3}x^2$
- 6 How does the graph of  $y = 7x^2$  differ from the graph of  $y = \frac{1}{7}x^2$ ?
- F The vertex of the graph of  $y = 7x^2$  is 7 units higher.
  - G The vertex of the graph of  $y = 7x^2$  is 7 units lower.
  - H The graph of  $y = 7x^2$  is wider.
  - J The graph of  $y = 7x^2$  is narrower.
- 7 The formula for the volume of a cylinder with a height of 5 units can be represented a  $y = 5\pi x^2$ , where  $x$  represents the radius. If the cylinder's height is tripled, what is the effect on the graph of  $y$  as function of  $x$ ?
- A The graph is translated up.
  - B The graph remains the same.
  - C The graph becomes narrower.
  - D The graph becomes wider.

End of Course Algebra 1

p. 181

Reporting Category 5

8 How does the graph of  $y = -\frac{3}{4}x^2$  differ from the graph of  $y = \frac{4}{3}x^2$ ?

F The graph of  $y = -\frac{3}{4}x^2$  opens downward and is wider than the graph of  $y = \frac{4}{3}x^2$ .

G The graph of  $y = -\frac{3}{4}x^2$  opens upward and is wider than the graph of  $y = \frac{4}{3}x^2$ .

H The graph of  $y = -\frac{3}{4}x^2$  opens upward and is narrower than the graph of  $y = \frac{4}{3}x^2$ .

J The graph of  $y = -\frac{3}{4}x^2$  opens downward and is narrower than the graph of  $y = \frac{4}{3}x^2$ .

9 Barbara graphs a family of equations of the form  $y = ax^2 + 1$ . How does each new graph compare to the previous graph as Barbara increases the value of  $a$  from  $\frac{1}{2}$  to 1 to  $1\frac{1}{2}$  and finally to 2?





A Each new graph is above the previous graph.

B Each new graph is wider than the previous graph.

C Each new graph is narrower than the previous graph.

D Each new graph is to the right of the previous graph.

10 The graphs below represent functions on the form  $y=ax^2$ . In which of the following graphs does  $a$  have the smallest value?





Algebra II

Tuesday  
October 14, 2014

Solve if you  
are Genius !

$$8 = 56$$

$$7 = 42$$

$$6 = 30$$

$$5 = 20$$


$$3 = ?$$





Algebra II  
Warm Up

Tuesday  
October 14, 2014



Content/writing space



End of Course Algebra 1

p. 182

Reporting Category 5

<p><i>Quadratic and Other Nonlinear Functions:</i> The student will demonstrate an understanding of quadratic and other nonlinear functions.</p>	<p><b>Name:</b> _____  <b>Date:</b> _____  <b>Period:</b> _____  <b>Topic:</b> A.9C- investigate, describe, and predict the effects of changes in <math>c</math> on the graph of <math>y = ax^2 + c</math>;</p>
<p>Academic Language</p>	<p>Notes:</p>
<p>Parabola, <math>y = ax^2 + c</math></p>	
<p>Quadratic parent function, <math>y = x^2</math></p>	
<p>Translate</p>	
<p><math>c</math>, the constant of the parabola</p>	

End of Course Algebra 1

p. 183

Reporting Category 5

A.9C	Investigate, describe, and predict the effects of changes in $c$ on the graph of $y = ax^2 + c$ .


**Part I**

Follow the instructions in each problem below: (use colored pencils if available)

- 1 The graph of  $y = 0.2x^2$  is shown.

Label each of the following equations below as “shifted up” or “shifted down” from the graph of  $y = 0.2x^2$  and then graph each to the right to check your work.

- A  $y = 0.2x^2 + 1.4$  \_\_\_\_\_
- B  $y = 0.2x^2 - \frac{2}{3}$  \_\_\_\_\_
- C  $y = 0.2x^2 + 1$  \_\_\_\_\_
- D  $y = 0.2x^2 - 6$  \_\_\_\_\_
- E  $y = 0.2x^2 + 4$  \_\_\_\_\_




## End of Course Algebra 1

p. 184

## Reporting Category 5

- 2 The graph of the function  $y = ax^2 + c$  is given below where  $a = 1$  and  $c = 0$ .



How will the graph be affected if the value of  $c$  is decreased to  $-2.5$ ?

\_\_\_\_\_.

How will the graph be affected if the value of  $c$  is increased to  $2/5$ ?

\_\_\_\_\_.

How will the graph be affected if the value of  $c$  is changed to 4?

\_\_\_\_\_.

How will the graph be affected if the value of  $c$  is changed to  $-1/3$ ?


\_\_\_\_\_.



**Part II**

- 1 In the graph of the function  $y = x^2 - 3$ , which describes the shift in the vertex of the parabola if, in the function,  $-3$  is changed to  $5$ .
- A 2 units down  
B 2 units up  
C 8 units down  
D 8 units up
- 2 The graph of a function  $y = x^2$  is shown below. If the graph is shifted 5 units down, which of the following equations best represents the translation of each point on the curve?

- F  $y = x^2 - 5$   
G  $y = 5x^2 + 1$   
H  $y = 5x^2 - 1$   
J  $y = x^2 + 5$



- 3 How would the function  $y = x^2 + 9$  be affected if the function were changed to  $y = x^2 - 2$ ?
- A The graph would shift up 11 units.  
B The graph would shift down 11 units.  
C The graph would shift right 11 units.  
D The graph would shift left 11 units.

## End of Course Algebra 1

p. 186

## Reporting Category 5

4 How does the graph of  $y = 7x^2 + 2$  differ from the graph of  $y = 7x^2 - 6$ ?

F The graph of  $y = 7x^2 + 2$  is shifted to the right of the graph of  $y = 7x^2 - 6$ .

G The graph of  $y = 7x^2 + 2$  is shifted up from the graph of  $y = 7x^2 - 6$ .

H The graph of  $y = 7x^2 + 2$  is wider than the graph of  $y = 7x^2 - 6$ .

J The graph of  $y = 7x^2 + 2$  is narrower than graph of  $y = 7x^2 - 6$ .

5 Which function is 5 units above the graph of  $y = x^2 - 3$ ?


A  $y = x^2 + 5$

B  $y = x^2 - 2$

C  $y = x^2 + 2$

D  $y = x^2 - 8$

6 The graphs of  $f(x)$  and  $g(x)$  are shown on the grid below. If  $f(x) = x^2 + 3$ , what is the equation for  $g(x)$ ?



F  $y = x^2 + 7$

G  $y = x^2 + 2.5$

H  $y = x^2 - 4$

J  $y = x^2 - 7$


## End of Course Algebra 1

p. 187


## Reporting Category 5

- 7 Which graph shows a function  $y = x^2 + c$  when  $c > 1$ ?


A.




C.



B.



D.




- 8 If  $c = -5$ , how does the graph of  $y = x^2 + 2c$  compare to the graph of  $y = x^2 + c$ ?
- F The graph of  $y = x^2 + 2c$  is below the graph of  $y = x^2 + c$ .
- G The graph of  $y = x^2 + 2c$  is above the graph of  $y = x^2 + c$ .
- H The graph of  $y = x^2 + 2c$  is narrower than the graph of  $y = x^2 + c$ .
- J The graph of  $y = x^2 + 2c$  is above the graph of  $y = x^2 + c$ .

End of Course Algebra 1


p. 188

Reporting Category 5


- 9 The graph of a function is shown below. If the graph is translated 6 units down, which of the following best represents the resulting graph?




A




C



B



D




- 10 Which quadratic function has a vertex below the origin and opens upward?

- F  $y = (x - 3)^2 + 1$
- G  $y = x^2 - 2$
- H  $y = x^2 - 4$
- J  $y = -3x^2 + 1$



Algebra II

Thursday  
October 16, 2014




If you truly want the Universe to be your Playground  
**DO YOUR MATH HOMEWORK!**





# Algebra II Warm Up

Thursday  
October 16, 2014



Content/writing space



End of Course Algebra 1

p. 203

Reporting Category 5

<p><u>Quadratic and Other Nonlinear Functions:</u> The student will demonstrate an understanding of quadratic and other nonlinear functions.</p>	<p><b>Name:</b> _____  <b>Date:</b> _____  <b>Period:</b> _____  <b>Topic:</b> <u>A.10B- make connections among the solutions (roots) of quadratic equations, the zeros of the their related functions, and the horizontal intercepts (x-intercepts) of the graph of the function;</u></p>
<p>Academic Language</p>	<p>Notes:</p>
<p>Vertex of parabola, (x, y)</p>	
<p>Quadratic Equation, <math>y = ax^2 + bx + c</math></p>	
<p>Solutions</p>	
<p>Solution Set</p>	
<p>Zeros</p>	
<p>x-intercepts</p>	

End of Course Algebra 1

p. 204

Reporting Category 5

A.10B	<u>Make connections among the solutions (roots) of quadratic equations, the zeros of the their related functions, and the horizontal intercepts (x-intercepts) of the graph of the function:</u>

**Part I**

- 1 What is the difference between the root of a function, the zero of a function, and the solution of a quadratic equation?

---



---



---


Find the roots, zeros, solutions, and x-intercepts of the quadratic equation  $-4x^2 - 7x + 60 = 0$ .

roots: \_\_\_\_\_

zeros: \_\_\_\_\_

solutions: \_\_\_\_\_

x-intercepts: \_\_\_\_\_





End of Course Algebra 1

p. 205


Reporting Category 5

2 What are the roots of the quadratic equation graphed below?

\_\_\_\_\_

Use your calculator to find the quadratic function of the graph.

\_\_\_\_\_



3 What are the roots of the quadratic equation graphed below?

Approximate the roots of the function from the graph to the nearest tenth.


\_\_\_\_\_

Use your calculator to find the quadratic function of the graph.

\_\_\_\_\_

Can you find the actual roots? Why or why not?


\_\_\_\_\_







Part II

1 What are the roots of the function graphed below?

- A  $(-1, -9)$  and  $(0, -8)$
- B  $(0, -4)$  and  $(2, 0)$
- C  $(-4, 0)$  and  $(2, 0)$
- D  $(0, 2)$  and  $(0, -4)$



2 Which graph best represents an equation that has the roots  $x = -7/2$  and  $x = 1/2$ ?



## End of Course Algebra 1

p. 207


## Reporting Category 5

3 What are the x-intercepts of the graph of the equation  $y = x^2 + x - 12$ ?

- A  $x = 4, x = 3$
- B  $x = -4, x = 3$
- C  $x = -4, x = -3$
- D  $x = 4, x = -3$


4 The graph of  $f(x) = x^2 + x - 6$  is shown.  
Which of the following is a zero of this function?

- F  $-6$
- G  $3$
- H  $-2$
- J  $2$



5 The graph of a function is shown below. Which of the following best represents the points where this function intersects the x-axis?

- A  $(-5, 0), (0, 1)$
- B  $(1, 0), (-5, 0)$
- C  $(-2, -9), (1, -5)$
- D  $(0, -5), (0, 1)$



## End of Course Algebra 1

p. 208


## Reporting Category 5

6 Which ordered pair represents one of the roots of the function  $f(x) = 2x^2 + 3x - 20$ ?

- F  $(-5/2, 0)$
- G  $(-4, 0)$
- H  $(-5, 0)$
- J  $(-20, 0)$


7 Part of the graph of a quadratic equation is shown below. If the line of symmetry for this quadratic equation is  $x = 1.25$ , between which two integers will the other part of the graph intersect the  $x$ -axis?

- A  $-4$  and  $-3$
- B  $-3$  and  $-2$
- C  $-2$  and  $-1$
- D  $-1$  and  $0$



8 Which points best represent the roots of the graphed quadratic equation shown below?

- F  $(6\frac{1}{2}, 0)$  and  $(4\frac{1}{2}, 6)$
- G  $(4\frac{1}{2}, 6)$  and  $(2\frac{1}{2}, 0)$
- H  $(2\frac{1}{2}, 0)$  and  $(6\frac{1}{2}, 0)$
- J  $(0, 2\frac{1}{2})$  and  $(0, 6\frac{1}{2})$




## End of Course Algebra 1

p. 209

## Reporting Category 5

9 Which of the following polynomial equations best represents this graph?

- A  $(x + 6)(x - 2) = y$
- B  $(x - 2)(x - 16) = y$
- C  $(x - 6)(x + 2) = y$
- D  $(x + 2)(x + 16) = y$



10 What are the zeros of the function  $f(x) = -4(x - 3)(x + 5)$ ?

- F -12 and 20
- G -5 and 3
- H -4 and -5
- J -3 and 5



Algebra II  
W.A.C

Thursday  
October 16, 2014

**A DAY**

Is a goal a commitment?  
Explain your answer.

**B DAY**

We all have favorite activities that we enjoy. Write an essay convincing readers to try the activity that you enjoy most..

